



ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ

**SERBLIN & SON –GOLD NOTE – DYNAVECTOR - CEC-ROSSO FIORENTINO GRANDINOTE- HI FI TUNING
 IeGO MCINTOSH - GRAHAM Audio –CHARTWELL - AUDIOBYTE- WA QUANTUM CHIPS- AUDIO MUSIC
 ΚΕΝΤΡΟ ΑΥΧΝΙΩΝ - TRAFOMATIC - YPSILON Electronics -- BOSENDORFER –MELODY-- CEC - VH AUDIO
 JJ ELECTRONICS - VDH EMILLE - MUNDORF- JANTZEN MIFLEX – MUDRA AKUSTIK- NEXUS MONITORS
 EMISSION LABS -- LUNDAHL - XAITAS ISOLATORS –WBT—CARDAS- TASCAM- DACT- SONOS- HAMMOND-
 FURUTECH-ADVANCE PARIS - Q ACOUSTICS - FOUNTEK –ATC -PROAC - IFI AUDIO – ANTHEM- SHANLING
 WIREWORLD –BLOK STANDS – CARY AUDIO –COS – JBL – LUXMAN- MAGNEPAN- MICHELL - REGA
 SILTECH- AUDIOQUEST- REL SUBS - SONUS FABER - FRANCO SERBLIN – RICHARD GRAY – VPI - FIIO
 MARTIN LOGAN – ELECTROCOMPANIET – MERIDIAN – KOETSU- LEBEN – HANA – LYRA – DUELUND
 NAGAOKA -EDWARDS – PMC – BRYSTON-AUDIO TECHNIKA - ZEN SATI – ZESTO- ARYLIC-MUSICAL SME
 FIDELITY -DALI– PORFYRA AUDIO – ZIDOO – ZEROSTAT-KLIPSCH- SOLID STEEL Racks- DUAL.**

P.ΦΕΡΡΑΙΟΥ 24.

Π.ΦΑΛΗΡΟ 175-63

2024 / 04

info : 210- 9850286 / 210-9830207

xaitas1@gmail.com

NEXUS ACOUSTICS BLOGSPOT

NEXUS ACOUSTICS E-SHOP

TIMOKATAΛΟΓΟΙ NEXUS ACOUSTICS

	CD TRANSPORT – DAC Converters	e
TLO 3.0	<p>CD TRANSPORT , Double Belt Drive . Digital output: TOS, COAXIAL, AES/EBU (XLR) , SUPERLINK (BNC) Colour: Silver-Black</p> 	29.770 e
	CEC TLO 3.0 CD TRANSPORT <i>The Absolute Reference</i>	

DA-SL

D/A SL SUPERLINK D/A CONVERTER

5.790 e

CEC Superlink Digital Signal Transmission system for ultra low Jitter .



DA 0 3.0

DAC $\mu\epsilon$ SUPERLINK D/A CONVERTER - XLR OUTPUTS

TBA



TL-2N

CD TRANSPORT Double Belt Drive

5.520 e



With the CEC TL 2N, the breakthroughs of the previous double belt drive systems have been refined even further than we imagined possible! The completely new developed double belt drive mechanism has been installed to be fully centered on a larger aluminum chassis for increased stabilization of rotation and no adjustment of mechanism height. While the double belt drive system with the large diameter precision flywheel stabilizer improves the accuracy of reading the music signal. The detail, richness of tone and spatial information are just breathtaking.

TL-5

CD TRANSPORT Belt Drive

2.990 e

**Digital Output: AES EBU -Coaxial -Tos link
Colour: Silver- Black**



In CEC TL 5 Belt-Drive the spindle motor is placed independently from the center shaft and vibration as well as electromagnetic noise effect to the CD are thus minimized. A heavy CD stabilizer provides bigger inertia of turntable and achieves a stable and smooth rotation of discs. Smaller torque motor and longer distance from the motor to the center shaft (turntable) create the ideal fundamentals of music reproduction.



DA- 3N

DAC , digital inputs: TOS, COAXIAL, AES/EBU (XLR), Superlink (BNC), USB 2.0, Master Clock(BNC), Analog outputs: balance fixed XLR, variable XLR as PRE-AMP, unbalanced fixed RCA, variable RCA as PRE-AMP, Headphone (6,3mm).

3.890 e



Silver - Black



CD- 5

CD PLAYER , Belt Drive, digital output: COAXIAL -TOS.

Belt Drive

Digital Inputs / Sampling frequency COAXIAL x 1: SPDIF 24bit / 32 ~ 192kHz

TOS x 1: SPDIF 24bit / 32 ~ 192kHz

USB2.0 x 1: PCM 32bit / 32 ~ 384kHz, DSD64 / 2.8224 ~ DSD128 / 5.6448MHz

DAC ESS ES9018K2M x 1

CD5 takes advantage of ESS DAC chip. Its spots USB input, corresponds to the DoP playback of DSD128 / 5.6MHz and supports PCM32bit / 384kHz of high-resolution sound files.





Finalized music CD-R / RW

3.990 e



Colour: Silver-Black



<p>DA-5</p>	<p>CEC DA 5</p> <p><i>D/A Converter- USB Sound System 32bit/384 kHz PCM - DSD 256/11.2 MHZ</i></p> 	<p>3.490 e</p>
<p>PH-53</p>	<p>PHONO PREAMPLIFIER PH-53</p> <p>Input BALANCED CURRENT INJECTION MC 10Ω-100Ω 2 x XLR</p> <p>MM 47 KΩ – 1KΩ RCA</p> <p>RIAA with Neumann time constant +0.25 db</p> <p>Out : RCA – XLR</p> <p>Zero feedback with no dynamic distortion .</p> <p>Προτεινεται XLR-DS110 για συνδεση Phono Cable 120 cm 5 pin → XLR</p> 	<p>1.330</p>
<p>RU-220</p>	<p>THΛEKONTPOA RU-220</p> <p><i>Για όλα τα μοντελα CD-Transport –DAC</i></p> 	<p>240 e</p>
<p>XLR - DS110</p>	<p>Special Phono Cable 120 cm 5 pin → 2 x XLR</p> <p><i>Για οδηγηση Phono stage balanced</i></p> 	<p>590 e</p>
	<p>TL 0X, TL 1N, TL 3N, CD 3N, DA 3N are 100% made in Japan.</p>	



CEC BEST TRANSPORT TL0 3.0 – DAC DA 3.00

NEXUSACOUSTICS BLOGSPOT

