



## **ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ**

**SERBLIN & SON - GOLD NOTE - DYNAVECTOR - ROSSO FIORENTINO GRANDINOTE- HI FI TUNING - IeGO  
MCINTOSH - GRAHAM Audio - CHARTWELL - AUDIOBYTE- WA QUANTUM CHIPS- AUDIO MUSIC - KENTPO ΑΥΧΝΙΩΝ-  
TRAFOMATIC - YPSILON Electronics -- BOSENDORFER - MELODY-- CEC - VH AUDIO  
JJ ELECTRONICS - VDH EMILLE - MUNDORF- JANTZEN MIFLEX - MUDRA AKUSTIK- NEXUS MONITORS EMISSION  
LABS -- LUNDAHL - XAITAS ISOLATORS - WBT - CARDAS- TASCAM- DACT- SONOS- HAMMOND- FURUTECH-  
ADVANCE PARIS - Q ACOUSTICS - FOUNTEK - ATC - PROAC - IFI AUDIO - ANTHEM- SHANLING WIREWORLD - BLOK  
STANDS - CARY AUDIO - COS - JBL - LUXMAN- MAGNEPAN- MICHELL - REGA -- SILTECH- AUDIOQUEST- REL SUBS -  
SONUS FABER - FRANCO SERBLIN - RICHARD GRAY - VPI - FIIO MARTIN LOGAN - ELECTROCOMPANET -  
MERIDIAN - KOETSU- LEBEN - HANA - LYRA - DUELUND NAGAOKA - EDWARDS - PMC - BRYSTON-AUDIO  
TECHNIKA - ZEN SATI - ZESTO- ARYLIC-MUSICAL SME FIDELITY - DALI - PORFYRA AUDIO - ZIDOO - ZEROSTAT  
KLIPSCH- SOLID STEEL Racks- DUAL.**

**P.ΦΕΡΡΑΙΟΥ 24.**

**Π.ΦΑΛΗΡΟ 175-63**

**2024 / 03**

**info : 210- 9850286 / 210-9830207**

**xaitas1@gmail.com**

**NEXUS ACOUSTICS BLOGSPOT**

**WWW.NEXUSACOUSTICS.GR**

**NEXUS ACOUSTICS E-SHOP**

**GOLDNOTE VIDEO MANUALS YOUTUBE**

**GOLDNOTE DS-10 Plus : USB DAC - STREAMER - Line PREAMPLIFIER**



**Το Μοναδικής σχεδιασης DS-10 DAC , STREAMER , USB DAC , ΠΡΟΕΝΙΣΧΥΤΗΣ της Ιταλικής GOLDNOTE .  
Δεν μοιάζει με κανένα άλλο DAC , εντυπωσιάζει με την ευχρηστία του και ..γοητεύει με τον Ηχο του !  
Μοναδικό κεντρο ελεγχου Μουσικής , με αριστη ποιότητα ~Αναλογικου ~Ηχου.  
Πληρης ελεγχος και ρυθμισεις με ΟΘΟΝΗ και 1 Control !! Πληρης ελεγχος με App κινητου.  
Οδηγει απ~ευθειας Τελικους Ενισχυτες & Ενεργα Ηχεια .**

## ΤΕΣΤ ΠΕΡΙΟΔΙΚΟΥ YELLOW BOX

Το πιο πολυβραβευμένο PHONO stage Παγκοσμία , το => **PH-10 της GOLDENOTE** .

Με 2 εισόδους ανεξάρτητα ρυθμιζόμενες με Μνήμη για 2 Πικαπ / κεφαλές !

Νεο Τεστ απο το Περιοδικο YELLOW BOX.

**TEST ΠΕΡΙΟΔΙΚΟ YELLOW BOX**







**GOLDNOTE PH-10** The Best multi adjustable PHONO stage for 2 separate Turntables !

Ανακαλύψτε τον κόσμο της GOLDNOTE μιας Εταιρίας με Αναλογικό Ηχο & με προϊόντα εξαιρετικής Μουσικότητας και Τιμής.



• ΠΙΚΑΠ - ΒΡΑΧΙΟΝΕΣ - ΚΕΦΑΛΕΣ - CD - DAC - ΕΝΙΣΧΥΤΕΣ - ΗΧΕΙΑ - ΗΧΟΜΟΝΩΤΙΚΑ - ΑΞΕΣΟΥΑΡ •

<p><b>PH-5</b></p>	 <p><i>PHONO STAGE MM/MC με Οθονη Touch για πληρεις ρυθμισεις σε λειτουργια.</i>  <i>4 καμπυλες Ισοσταθμισης : RIAA, DECCA LONDON, AMERICAN COLUMBIA</i>  <i>Gain : 40 db MM , 60db MC</i></p>	<p>960 e</p>
<p><b>CD-10</b></p>	<p><i>CD PLAYER with Touch screen &amp; Control button. AKM 4493 DAC .</i>  <i>CD MECHANISM made in AUSTRIA by Stream Unlimited .</i></p>  <p><b>Upgrade :</b> PSU-10 EVO choke power supply .</p>	<p>1.750 e</p>
<p><b>PSU-5</b></p>	<p><i>ΤΡΟΦΟΔΟΤΙΚΟ για PHONO PH-5</i>  <i>Linear DC Power Supply with</i></p>  <p><i>Chokes .</i></p>	<p>590</p>
<p><b>PH-1000</b></p>	<p><b>GOLDNOTE PH-1000 Reference PHONO Stage MM / MC .</b>  <i>20 Equalization curves – inputs RCA – XLR / outputs RCA – XLR</i>  <i>Full adjustable with SKC knob &amp; TFT screen.</i></p> 	<p><i>Gold</i>  <i>Black</i>  <i>Silver</i></p> <p>10.770 e</p>





**PH-1000  
LINE**

**PH-1000 PHONO Stage with LINE Stage CLASS A`**

14.260 e

**PH-1000  
LITE**

**Reference PHONO Stage MM / MC .  
32 Equalization curves plus Enhanced mode.**

6.370 e



**CD-1000  
MKII**

**CD-1000 MK II CD Player with superlinear Dual-Mono and fully balanced design featuring BB PMC1792A with RCA/XLR/Coax outputs, and TOS/Coax inputs.  
UPGRADES : PSU-1250 and PSU-1000 TUBE-1012 and TUBE-1006**

5.190

**PH-10**

**PHONO PH-10 MM & MC – two separate RCA Inputs για 2 Πικαπ - RCA and XLR balanced Output – selectable variable load χ 9 με micro switches – High Gain 68dB MC and 48dB MM 6 equalization curves : RIIA / DECCA LONDON / AMERICAN COLUMBIA USB software update – **Θθονη TFT λειτουργιών** και απεικονισης ρυθμισεων – Ρυθμισεις απο ενα περιστρεφομενο κουμπι με software. (ADG-714)**

1.770 e

**Δεχεται προσθετα : Εξωτερικο Λαμπταο σταδιο εξοδου class A` - Εξωτερικο Τροφοδοτικο με choke DC PSU-10. **Silver – Black****



⇒ **PHONO PH-10 VIDEO MANUAL**



**Test GOLDNOTE PH-10 PHONO # YELLOW BOX #**

**PSU-10**

*External Inductive Super Power Supply **PSU-10** for **PHONO PH-10***

*1.130 e*



**A-3 EVO II**



*Walnut  
Gloss*

*4.990 e*

*Walnut  
Matt*

*4.490 e*

*Reference Mini MONITOR 86 db/W/m 35 x 23 x 28,5 cm 1,1" Tweeter / 6" Woofer.  
Εξαιρετική ποιότητα κατασκευής και φινιρίσματος.*

**A-6 EVO II**



*Walnut  
Gloss*

*7.990 e*

*Walnut  
Mat*

*7.490 e*

*88 dB - 4ohm - 3way ( 4 Μεγαφωνα ) Tower 108cm Y x 23cm H x 28,5cm B  
1" elliptical dome Tweeter - 2x5" Mid-Woofer - 6" symmetrical Subwoofer - 35Hz-20kHz – Tuning  
recessed aluminium side panels  
Bi-wiring Gold Note binding posts  
Italian WALNUT high gloss – Black Piano high gloss*

**STEREOPHILE :** *The DS-10 is the new benchmark Streaming DAC !!*



**DS-10**



2.690 e

**DS-10 CHAMELEON DAC**

**Digital to Analog Converter & FULL FUNCTION STREAMER**  
**USB Asynchronous - DSD 384 KHZ.**

**ΕΝΙΣΧΥΤΗΣ ΑΚΟΥΣΤΙΚΩΝ- ΠΡΟΕΝΙΣΧΥΤΗΣ LINE.**

**ROON and MQA are working perfectly fine with the last firmware Update V. 154 as well as working seamlessly with the latest GN Control App version 1.0.6.**

**TEST ΠΕΡΙΟΔΙΚΟ YELLOW BOX**

**TEST ΠΕΡΙΟΔΙΚΟ HXOS**



**DS-10 EVO**



2.790 e

Black

The Chameleon DAC



**DS-10 EVO  
LINE**

2.990 e

3,5mm Analogue input – Better Power Supply

**New model 2023**

Δεχονται το εξωτερικο τροφοδοτικο PSU-10 EVO με Τσοκ.

**PSU-10 EVO**

.....**PSU-10 EVO for => DAC DS-10**.....



1.240 e

*The PSU-10 is the super inductive power supply designed for PH-10: engineered with the best quality audio-grade components to enhance the performance of PH-10, it's based on a dual choke linear supply design and features an inductive filter on the analogue stage. The large, ultra-clean power enhances super low noise, greater dynamic, better resolution and finer details for a more realistic high-end audio performance and pure audio pleasure. The PSU-10 can deliver high quality power using 4 transformers 3 of which are dedicated exclusively to the pure power supply and with 1 separated transformer dedicated to the inductive filter and the two chokes.*



<p><b>IS-1000 DELUXE</b></p> <p><b>IS-1000 LINE</b></p>	<p><b>IS-1000 ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ , PHONO MM/MC , DAC -STREAMER .</b></p> <p><i>2 x 125 Watt / 8 Ω</i></p> <p><i>Imagine a complete High-End stereo system enclosed in a beautiful aluminum chassis carved in bold Italian style: this is IS-1000 !!</i></p> <p><i>IS-1000 is an advanced fully integrated amplifier that redefines the way music playback is experienced to achieve a new pinnacle in High-End audio, seamlessly merging a Preamplifier, a Power Amplifier, a Phono Preamp, a DAC and a STREAMER in a unique, complete source.</i></p> 	<p>5.570 e</p> <p>4.650 e</p>
<p><b>PSU-1000</b></p>	<p><b>PSU-1000 External Inductive Super Power Supply for all x1000 Series</b></p> 	<p>3.990 e</p>
<p><b>PA-1175</b></p>	<p><b>Stereo Power Amplifier –2 x 175 Watt / 8 Ω .Full balanced selectable RCA or XLR output – Bridged Mono Amplifier for 350 Watt /8 Ω . Adjustable Damping Factor 25-250.</b></p> 	<p>5.900 e</p>
<p><b>PST-10</b></p>	<p><b>PST-10 INDUCTIVE POWER SUPPLY for all GOLDNOTE Turntables. Dual choke design , 4 Transformers , supplied with Silver core custom cable .Enhances super low noise , greater dynamic , better resolution and finer details.</b></p> 	<p>1.110 e</p>



**P-1000 MKII  
Deluxe**

*ΠΡΟΕΝΙΣΧΥΤΗΣ 6 Gain Fully BALANCED Line Level- Remote control .  
Preamp Stage: Resistor-relais Optical Volume Control  
5 pairs RCA inputs –or 5 pairs XLR inputs / Outputs :1 pair RCA & 1 pair XLR*

7.980 e



**TUBE -1006**

4.490 e

**TUBE-1012:**

*Upgrades : Class-A 6 Tubes output stage with inductive tube power supply  
Upgrades : Class-A 12 Tubes output stage with inductive tube power supply*

6.390 e

**PSU-1250:**

*Dual-Mono 1.250 Watt Super External Power supply*

5.990 e

**PSU-1000:**

*Dual-Mono 1.000 Watt Super External Power supply*

3.990 e



**TUBE-1012**

**TUBE-1012:** CLASS A` 12 Tubes output stage with inductive tube power supply.

Προαιρετικό σταδιο εξοδου για **PHONO PH-10 / PH-1000.**



**GOLD NOTE MODULAR DESIGN**

*Innovative unique modular design performing a variety of external units including two Class-A tube output stages, Atomic Master Clocks and High Power Supplies*

**PREAMP AND STEREO ANALOGUE INPUT STAGE (Optional)**

*Two options integrated preamplifier stage and balanced input to perform a full vertically integrated unit able to drive an audio system on its own.*

**UPGRADES :**

**PSU-1000 :** Super External Inductive 1.000 Watt Power Supply for all 1000 Series.

**PSU-1250:** Dual-Mono 1.250Watt Super External Inductive Power supply. Multi Transformer for all 1000 Series.

6.130 e

3.990 e

5.990 e

**GIGLIO**

*Turntable - Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Aluminium plinth and 50mm machined curved natural Walnut for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12 Volt electronic PSU and PWM Speed Control*

**Included : B5.1 ARM and Synchronous SWISS Moter 12 V.**



*Με βαση απο Ιταλικη καρδια.*

4.990

**MEDITERRANEO Reference**

**MEDITERRA  
NEO  
Reference**

*Turntable - Belt driven Turntable made of triple isolated 15mm black acrylic plinth, 3mm Titanium plinth and 50mm machined curved WALNUT wood natural or black painted solid wood enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and PWM Speed Control  
Με βάση από Ιταλική καρδιά.*

⇒ **B-7 CERAMIC TONEARM and Synchronus SWISS moter 12 Volt.**

ITALIAN WALNUT

7.990 e

GOLD LEAF

8.700 e



**PIANOSA**



MAYPH AAKA & WALNUT






3.290 e

**HIGH PRECISION SYSTEM**






*Pianosa features our high precision platter bearing/spindle design with the best coupling tolerance available today: the spindle is made of the hardest carbon rectified and hardened steel to guarantee perfect rotational stability and the bearing is made of polished bronze with a 2/100 mm tolerance*

**EXTRA RIGIDITY AND DAMPENING**

*Pianosa is built with a multiple plinth structure, with a 50mm curved plinth in Italian Walnut hardwood slats and a lacquered MDF plinth for optimal structural stability. The curved wooden plinth is reinforced with a stainless steel board and the black lacquered MDF plinth to achieve the best vibrational control.*

	<p style="text-align: center;"><b>EASY SET UP</b></p> <p>Ready to play out of the box, the set up includes a dedicated <b>GOLD NOTE B5.1 TONE ARM</b> and a custom moulded transparent ultra resistant removable polycarbonate Dust Cover.</p> <p style="text-align: center;"><b>PWM MOTOR TECHNOLOGY</b></p> <p>Pianos features a power control generator based on PWM [Pulse Width Modulation] that transforms the voltage from AC to DC and back to AC, the two AC semi-waves are perfectly coupled to minimise vibrations while providing high torque.</p>	
<b>RECORD CLAMP</b>	<p>MAGNIFICO RECORD CLAMP</p> 	295 e
<b>DUMBO AC ISOLATOR</b>	<p>DUMBO AC ISOLATOR 100 W GIA CD – DAC - PREAMPLIFIERS – ΠΙΚΑΠΙ.</p> 	490 e
<b>VALORE 425 PLUS</b>	<p>Turntable - Belt driven rigid Turntable made of 30mm MDF plinth – Platter 20mm HDF &amp; POLYACETATE – Supplied with 9” B-5.1 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control 33-45 RPM</p> 	<p><b>Walnut</b> 1.780 e</p> <p><b>Acrylic</b> 1.780 e</p> <p><b>Silver Foil</b> 1.850 e</p> <p><b>Black</b> 1.780 e</p>
<b>VALORE 400</b>	<p>Turntable - Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9” B-5 SC Arm and Acrylic Dust Cover . AC synchronous 24 Pole Motor 230 V – 425mm x 360mm</p> 	<p><b>WHITE</b> 1.190 e</p>
<b>FELT MAT</b>	<p>Turntable FELT mat – made of special polyester fibre with high damping effect <b>Brown</b></p>	27,90 e
<b>ΚΑΠΑΚΙ ΠΙΚΑΠΙ</b>	<p>NEXUS ΠΛΕΞΙΓΚΛΑΣΣ 52cm x 43 cm x 25 cm</p>	190 e
<b>LIFT</b>	<p>TONEARM LIFT HYDRAULIK - spare part</p>	98,70
	 <p>GOLDNOTE PRECISION STYLUS GAUGE</p>	23,60 e
	<p>GOLDNOTE PRECISION ΑΑΦΑΔΙ SPIRIT LEVEL</p>	55,70 e
	<p>GOLDNOTE ULTRA FLUID BEARING OIL</p>	23,60 e



<b>HINGES</b>	<i>TURNTABLE HINGES – ( Μεντεσεδες για καπακι )</i>	37,90 e
<b>DIN 5 PIN FEMALE</b>	<i>ΒΥΣΜΑ 5 DIN MALE - για βραχιονα Goldnote</i>	28,80 e
<i>U-2 new</i>	<i>ΒΡΑΧΙΟΝΑΣ U-2 UNIPIVOT 9`` NEW –Aluminium alloy. ΒΑΣΗ VTA ΠΥΘΜΙΖΟΜΕΝΗ με 3 allen + 85 e</i>	820 e
<b>U-3</b>	<i>ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΜΗΚΟΣ ΚΑΙ ΒΑΣΗ STANDARD 9``. ΛΕΧΕΤΑΙ LIFT ΒΡΑΧΙΟΝΑ EXTRA ΥΔΡΑΥΛΙΚΟ +180 ε ΜΗΧΑΝΙΚΟ + 100 ε</i> 	855 e
<b>U-3 Signature mkII</b>	<i>ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΠΥΘΜΙΣΗ VTA –ΥΔΡΑΥΛΙΚΟ LIFT &amp; ANTISCATING ΕΚΚΕΝΤΡΟ ANTIBAPO . .</i> 	920 e
<b>B – 5 mkIII 9``</b>	<i>ΒΡΑΧΙΟΝΑΣ ΑΛΟΥΜΙΝΙΟΥ ΜΕ BEARINGS ΠΥΘΜΙΣΗ VTA. - ΧΕΙΡΟΚΙΝΗΤΟ LIFT ΕΚΚΕΝΤΡΟ ANTIBAPO</i> 	940 e
<b>B-5.1 Ball bearing 9`` New model 2023</b>	<i>Tone-Arm 9`` - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA - 223mm Effective Length – 10g Effective Mass. The B-5.1 effective length of 223mm with 12mm overhang let the arm easily installed in any turntable available on the market .</i>  <b>VTA BASE Φ 26,5 mm</b>	1.090 e <b>+ 85 e</b>
<b>B-7 CERAMIC ball bearing 9``</b>	<i>B-7 CERAMIC features four high precision custom made for Gold Note by GRW-Germany micro ceramic ball bearings designed to enable extraordinary low noise quality allows the smoothest fine musical details The azimuth is adjustable through a pair of 2mm micro bolt in order to set up the shell perfectly aligned . The B-7 CERAMIC effective length of 223mm with 12mm overhang let the arm easily installed in any turntable available on the market</i>  <b>VTA BASE</b>	2.190 e <b>+ 85 e</b>

**ΚΕΦΑΛΕΣ GOLDNOTE**



**DONATELLO**



**GOLD**

**RED**

*Inspired by a challenge, empowered by technology .The idea behind the new Donatello MC cartridge was to engeneer the best sounding cartridge with solid machined aluminium body, light enough to be handled by every tone-arms. The results exceeded expectations*

*After two years of continuous research, here is Donatello: a sophisticated, computer designed body made of machined aluminium. Weighing only 7gram, it's perfectly damped and firmly blocked to help the cantilever achieve the best tracking*

*Donatello's ultra rigid cantilever handles a high precision Micro Elliptical diamond exclusively developed in collaboration with Adamant-Namiki and designed for top audio performance*

*As our flagship cartridges, Donatello's diamond tip is mechanically inserted and blocked into a long, stiffened aluminium cantilever, handled in a special titanium telescopic pipe to increase structural rigidity*

*There's more: like our top models, Donatello features long gold-plated pin connectors designed to connect perfectly with arm cinches, reducing energy dispersion and improving grounding for an ideal music background that will let you enjoy even the smaller details in your music*

*Donatello Series feature high internal impedance levels, so that they can be easily matched with any active phono preamp MM and even correctly set-up MC ones, without the need of any Step-Up transformer .*






**DONATELLO  
RED**

**MC High Output Phono Cartridge 1,8 mV**



*Frequency response: 10-35.000Hz  
Impedance: 140Ω Suggested load: 47KΩ  
Compliance: 12×10-6cm/dyne  
Channel separation: > 24 db Channel balance: < 1dB  
Suggested tracking weight: 1.8 to 2.1g  
Cantilever: Aluminum  
Diamond: Micro Elliptical  
Coil Wire: Copper*

870 e


	<p><i>Magnet: Samarium-Cobalt</i>  <i>Mounting hole diamond distance: 9mm</i>  <i>Solid block machined Duraluminium alloy</i>  <i>Weight 7 gr</i></p>	
<p><b>DONATELLO</b>  <b>GOLD</b></p>	<p><i>MC low Output Phono Cartridge 0,5 mV</i>  <i>Frequency response: 10-40000Hz</i>  <i>Impedance: 40Ω Suggested load: 470Ω</i>  <i>Compliance: 12×10-6cm/dyne</i>  <i>Channel separation: &gt; 25dB Channel balance: &lt; 1db</i>  <i>Suggested tracking weight: 1.8 to 2.1g</i>  <i>Cantilever: Aluminum</i>  <i>Diamond: Micro Elliptical</i>  <i>Coil Wire: Copper</i>  <i>Magnet: Samarium-Cobalt</i>  <i>Mounting hole diamond distance: 9mm</i>  <i>Solid block machined Duraluminium alloy</i></p> 	<p>1.090 e</p>
<p><b>GOLDNOTE</b>  <b>ES-78</b></p>	<p><i>ΚΕΦΑΛΗ MM 4mV - 5 gr - Tracking force 2 gr . Spherical Tip</i></p> 	<p>130 e</p>
<p><b>VASARI</b>  <b>RED</b></p>	<p><i>ΚΕΦΑΛΗ MM 4mV - weight 7gr. – Tracking weight 2gr. – Diamond Conical- 47Kohm - Alnico magnet 15-25.000 Hz – Compliance 10 Cu -1.000 Ω- Impedance Channel separation &gt; 20 db</i></p>  <p><i>Βελονα Ανταλλακτικη</i></p>	<p>240 e</p>
<p><b>VASARI</b>  <b>GOLD</b></p>	<p><i>ΚΕΦΑΛΗ MM 4mV - weight 9,5gr. – Diamond Elliptical- Tracking weight 2gr. – 47Kohm- Alnico magnet 15-25.000 Hz – Compliance 10 Cu -1.000 Ω - Impedance Channel separation &gt; 22 db</i></p> 	<p>415 e</p>
<p><b>VASARI</b>  <b>SHIBATA</b></p>	<p><i>ΚΕΦΑΛΗ MM 4mV - weight 9,5gr. –Diamond SHIBATA - Tracking weight 2gr. – 47Kohm – Alnico magnet- 20-30.000 Hz – Compliance 10 Cu - Impedance 500 Ω Channel separation &gt; 25 db</i></p> 	<p>690 e</p>

<b>TUSCANY RED</b>  <b>MC</b>	 <p><i>MC phono cartridge - 0,4mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 20ohm - 10-50.000 Hz. - Compliance 10x10-6cm/d - Boron stylus Micro Ridge Diamond Tip</i></p>	5.050 e
<b>TUSCANY GOLD</b>  <b>MC</b>	 <p><i>MC phono cartridge - 0,25mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 4 ohm – silver coils - 5-55.000 Hz. – magnet samarium-cobalt - Compliance 10x10-6cm/d - Boron cantilever - Super Micro Ridge Diamond Tip- channer separation &gt; 35 db</i></p>	7.880 e
<b>MACHIAVEL LI GOLD MKII MC</b>	<p><i>MACHIAVELLI GOLD MKII MC 0,4 mV Mass 10g - Tracking Weight 1.8/2.1g - 30 Hz - 10-40.000Hz - 10x10-6cm/dyne Boron Cantilever - Line Contact Stylus - Suggested Load: 470 Hz</i></p> 	3.250 e
<b>MACHIAVEL LI RED MKII MC</b>	<p><i>MACHIAVELLI RED MKII MC 0,5 mV Mass 10g - Tracking Weight 1.8/2.1g - 40 Hz - 10-40.000Hz - 10x10-6cm/dyne - Aluminum Cantilever - Micro Elliptical Stylus - Suggested Load: 470 Hz</i></p> 	1.970 e

**A Ε Ε Σ Ο Υ Α Ρ**

	<p><b>ZEROSTAT LP GUN</b></p> 	104,90
<b>BELT</b>	<b>IMANTΑΣ ΠΙΚΑΠΙ EPDM NEW</b>	44,70 e
<b>BELT EPDM</b>	<b>IMANTΑΣ ΠΙΚΑΠΙ EPDM DELUXE</b>	54,80 e



	<p><b>ΔΙΣΚΟΣ LP PINK FLOYD DARK SIDE OF THE MOON</b></p> 	<p>53,60 e</p>
	<p><b>ΔΙΣΚΟΣ LP BILLIE HOLIDAY – BODY &amp; SOUL</b></p> 	<p>44,70 e</p>
	<p><b>ΔΙΣΚΟΣ LP ALSO SPRACH ZARATUSTRA FRITZ REINER CHICAGO SYMPHONY ORCHESTRA</b>  <b>45 rpm – 180 gr HQ VINYL - GOLDENOTE SUPERVISION PRODUCTION</b></p> 	<p>47,90 e</p>
	<p><b>ΔΙΣΚΟΣ LP OUT OF THE COOL – THE GIL EVANS ORCHESTRA</b>  <b>45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</b></p> 	<p>47,90 e</p>
	<p><b>ΔΙΣΚΟΣ LP HENRY MANCINI HATAPI</b>  <b>45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</b></p> 	<p>39,80 e</p>

	<p><b>ΔΙΣΚΟΣ LP ELISABETA SERIO (NEW JAZZ)</b>  <b>45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</b></p> 	48,80 e
	<p><b>ΔΙΣΚΟΣ LP ALESSANDRO ZILLI Guitar Ballads – ETERNITY</b>  <b>Half Speed (ORIGINAL Series)</b>  <b>45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</b></p> 	47,90 e
	<p><b>ΔΙΣΚΟΣ LP TEST RECORD - GOLD NOTE Super Test Record</b>  <b>- GOLDENOTE PRODUCTION</b></p>	47,90 e
	<p><b>ΔΙΣΚΟΣ LP HARRY BELAFONTE - Live at Carnegie Hall - 3 LP SET</b></p> 	110,60
	<p><b>ΔΙΣΚΟΣ LP DT-01 BEATLES - LONELY HEARTS</b></p> 	39,80 e
	<p><b>CD E.SERIO-APRIL</b></p>	22,60 e
	<p><b>CD MORO QUARTET</b></p>  <p><i>Αριστη ηχογραφήση αναφοράς με την συνεργασία 3 εταιριών : ( ROSSO FIORENTINO / NORTHSTAR / AUDIO GRAFFITI )</i></p>	31,70 e



# IS-1000

THE TRULY HIGH-END INTEGRATED AMPLIFIER

## GOLDNOTE DS-10 Plus





**GOLDNOTE MEDITERANEO**







**Classic: DEMIDOFF Signature Amplifier**



**Classic : GOLDNOTE STIBBERT CD Player με Αναρτηση .**





***GOLDNOTE A-6 EVO II***

***[WWW.NEXUSACOUSTICS.COM](http://WWW.NEXUSACOUSTICS.COM)***

***[WWW.THENEXUSACOUSTICS.BLOGSPOT.COM](http://WWW.THENEXUSACOUSTICS.BLOGSPOT.COM)***

***[TIMOKATAAOFI NEXUS ACOUSTICS](#)***

